


20mg/ml
oral suspension
Ospolot
Sulthiame

SeLECTS specific treatment
that kids get on with



For Prescribing Information, please scan the or go to
<https://desitin.co.uk/pi/8KRY>

UK: Adverse events should be reported.
Reporting forms and information can be found at
www.mhra.gov.uk/yellowcard
Adverse events should also be reported to Destin Pharma Ltd.



Date of preparation: February 2025 | UK/OS/0011



20mg/ml
oral suspension
Ospolot[®]
Sulthiame

SeLECTS specific treatment
that kids get on with

Ospolot[®]
Dose Titration Tool



20mg/ml
oral suspension
Ospolot
Sulthiame

SeLECTS specific treatment
that kids get on with

OUTSIDE FRONT AND BACK

Single page size: 226mm X 313mm

Flap size: 224mm X 135mm

How to take Ospolot®
Advice for your Patient



How to take Ospolot – Advice for your patients

- Ospolot is for oral use.
- The daily dose should be given in divided doses throughout the day.
- It is preferable that Ospolot is taken the same way every day.
- Ospolot may be taken with or without food, but carbonated beverages or hot food should be avoided.
- **Before taking Ospolot, the bottle should be shaken very well (at least once for 30 seconds) and the dose drawn-up immediately afterwards (to avoid sedimentation).**
- The oral graduated 10 ml oral syringe with a corresponding adapter. Instructions for use by the patient are on the PIL.
- **Suspension may be either:**
 - Swallowed directly from the oral syringe, followed by some water, juice or milk immediately afterwards due to the bitter taste of sulthiame.
 - Taken straight after mixing it, preferably with a small volume of water or alternatively with orange juice, milk, yoghurt or wheat porridge.
- The oral suspension may also be administered via a feeding tube that should be flushed with a minimum of 15 ml of water immediately after administration.

- Please use a 1ml syringe if the patient's dose is less than 1ml



INSIDE FRONT AND BACK
Single page size: 226mm X 313mm
Flap size: 224mm X 135mm

For the treatment of SeLECTS
Ospolot Dosing in Children of 12kg and above
Daily dose in mls for patients based on a range of mg/kg/day doses
NB: dose should be given in divided doses throughout the day

	Daily dose of Ospolot 20mg/ml Oral Suspension in mls (based on a mg/kg/day dose)				
Body weight(kg)	1mg/kg/day	2mg/kg/day	3mg/kg/day	4mg/kg/day	5mg/kg/day
12	0.6	1.2	1.8	2.4	3.0
13	0.7	1.3	2.0	2.6	3.3
14	0.7	1.4	2.1	2.8	3.5
15	0.8	1.5	2.3	3.0	3.8
16	0.8	1.6	2.4	3.2	4.0
17	0.9	1.7	2.6	3.4	4.3
18	0.9	1.8	2.7	3.6	4.5
19	1.0	1.9	2.9	3.8	4.8
20	1.0	2.0	3.0	4.0	5.0
21	1.1	2.1	3.2	4.2	5.3
22	1.1	2.2	3.3	4.4	5.5
23	1.2	2.3	3.5	4.6	5.8
24	1.2	2.4	3.6	4.8	6.0
25	1.3	2.5	3.8	5.0	6.3
26	1.3	2.6	3.9	5.2	6.5
27	1.4	2.7	5.1	5.4	6.8
28	1.4	2.8	4.2	5.6	7.0
29	1.5	2.9	4.4	5.8	7.3
30	1.5	3.0	4.5	6.0	7.5
31	1.6	3.1	4.7	6.2	7.8
32	1.6	3.2	4.8	6.4	8.0
33	1.7	3.3	5.0	6.6	8.3
34	1.7	3.4	5.1	6.8	8.5
35	1.8	3.5	5.3	7.0	8.8
36	1.8	3.6	5.4	7.2	9.0
37	1.9	3.7	5.6	7.4	9.3
38	1.9	3.8	5.7	7.6	9.5
39	2.0	3.9	5.9	7.8	9.8
40	2.0	4.0	6.0	8.0	10.0
41	2.1	4.1	6.2	8.2	10.3
42	2.1	4.2	6.3	8.4	10.5
43	2.2	4.3	6.5	8.6	10.8
44	2.2	4.4	6.6	8.8	11.0
45	2.3	4.5	6.8	9.0	11.3
46	2.3	4.6	6.9	9.2	11.5
47	2.4	4.7	7.1	9.4	11.8

48	2.4	4.8	7.2	9.6	12.0
49	2.5	4.9	7.4	9.8	12.3
50	2.5	5.0	7.5	10.0	12.5
51	2.6	5.1	7.7	10.2	12.8
52	2.6	5.2	7.8	10.4	13.0
53	2.7	5.3	8.0	10.6	13.3
54	2.7	5.4	8.1	10.8	13.5
55	2.8	5.5	8.3	11.0	13.8
56	2.8	5.6	8.4	11.2	14.0
57	2.9	5.7	9.0	11.4	14.3
58	2.9	5.8	8.7	11.6	14.5
59	3.0	5.9	8.9	11.8	14.8
60	3.0	6.0	9.0	12.0	15.0

Please note that doses have been rounded to the nearest 0.1ml



You have been prescribed
Ospolot 20/ml Oral Suspension
Here is your Dosing Schedule

Date of consultation:

Name:

D.O.B:

Hospital/NHS Number:

To help your GP and community pharmacist obtain this product for you in the future, show them this information.
The PIP code for this product is 4348157



1mg = 0.05ml,
So if you are on 10mg, your dose is 0.5mls
Please ask for a 1ml syringe if the patient's dose is less than 1ml

Date of treatment	How much you need to take (Number of mls)	When to take your medicine (fill in time(s)) for examples "Take every day at 8am" or Take every day at 8am & 8pm"	Comments & Notes
From: To:		Take this every day at...	
From: To:		Take this every day at...	
From: To:		Take this every day at...	

Date of preparation: February 2025 | UK/OS/0015