



20mg/ml
oral suspension
Ospolot[®]
Sulthiame

SeLECTS specific treatment
that kids get on with

EXCIPIENTS OF CONCERN IN OSPOLOT[®]
20MG/ML ORAL SUSPENSION (SULTHIAME)

Please note that this product is indicated for use in children weighing 12kg and above.¹



EXCIPIENTS OF CONCERN IN OSPOLOT® 20MG/ML ORAL SUSPENSION (SULTHIAME)

Please note that this product is indicated for use in children weighing 12kg and above.¹

Sodium Methyl-Parahydroxybenzoate: content in mg/ml

Quantity in Ospolot 20mg/ml Oral Suspension: 2.4mg/ml

NPPG Advice: Maximum acceptable daily combined intake for methyl-hydroxybenzoates is 10mg/kg/day²

Dose in mg/kg/day	1mg/kg/day	2mg/kg/day	3mg/kg/day	4mg/kg/day	5mg/kg/day
Excipient in mg/kg	0.155mg/kg	0.23mg/kg	0.345mg/kg	0.46mg/kg	0.575mg/kg

Sodium Propyl-Parahydroxybenzoate: content in mg/ml

Quantity in Ospolot 20mg/ml Oral Suspension: 0.6mg/ml

NPPG Advice: Maximum acceptable daily propyl-hydroxybenzoate intake is 2mg/kg/day²

Dose in mg/kg/day	1mg/kg/day	2mg/kg/day	3mg/kg/day	4mg/kg/day	5mg/kg/day
Excipient in mg/kg	0.03mg/kg	0.06mg/kg	0.09mg/kg	0.12mg/kg	0.15mg/kg

Fructose: content in mg/ml

Quantity in Ospolot 20mg/ml Oral Suspension: 0.0026mg/ml

NPPG Advice: Avoid in hereditary fructose intolerance²

Dose in mg/kg/day	1mg/kg/day	2mg/kg/day	3mg/kg/day	4mg/kg/day	5mg/kg/day
Excipient in mg/kg	0.00013mg/kg	0.00026mg/kg	0.00039mg/kg	0.00052mg/kg	0.00065mg/kg

Glucose: content in mg/ml

Quantity in Ospolot 20mg/ml Oral Suspension: 0.0024mg/ml

NPPG Advice: No specific advice

Dose in mg/kg/day	1mg/kg/day	2mg/kg/day	3mg/kg/day	4mg/kg/day	5mg/kg/day
Excipient in mg/kg	0.00012mg/kg	0.00024mg/kg	0.00036mg/kg	0.00048mg/kg	0.0006mg/kg

Sucrose: content in mg/ml

Quantity in Ospolot 20mg/ml Oral Suspension: 0.0005mg/ml

NPPG Advice: Hydrolysed in the intestine to fructose and glucose; avoid in hereditary fructose intolerance²

Dose in mg/kg/day	1mg/kg/day	2mg/kg/day	3mg/kg/day	4mg/kg/day	5mg/kg/day
Excipient in mg/kg	0.000025mg/kg	0.00005mg/kg	0.000075mg/kg	0.0001mg/kg	0.00025mg/kg

Sulphur Dioxide: content in mg/ml

Quantity in Ospolot 20mg/ml Oral Suspension: 0.000004mg/ml

NPPG Advice: No advice given

Dose in mg/kg/day	1mg/kg/day	2mg/kg/day	3mg/kg/day	4mg/kg/day	5mg/kg/day
Excipient in mg/kg	0.0000002mg/kg	0.0000004mg/kg	0.0000006mg/kg	0.0000008mg/kg	0.000001mg/kg

The NPPG Position Statement on Liquid Choice which provides suggested limits of excipients can be found here:

<https://nppg.org.uk/wp-content/uploads/2020/12/Position-Statement-Liquid-Choice-V1-November-2020.pdf>


Or Scan the QR code



References:

Ospolot 20mg/ml Oral Suspension SPC <https://www.medicines.org.uk/emc/product/100433/smpc> (Last accessed Feb 2025)

NPPG Position statement 2020-01 Choosing an Oral Liquid Medicine for Children <https://nppg.org.uk/wp-content/uploads/2020/12/Position-Statement-Liquid-Choice-V1-November-2020.pdf> (Last accessed Feb 2025)



For Prescribing Information, please scan the or go to

<https://desitin.co.uk/pi/8KRY>

UK: Adverse events should be reported.
Reporting forms and information can be found at
www.mhra.gov.uk/yellowcard
Adverse events should also be reported to Destin Pharma Ltd.

